JCI The Journal of Clinical Investigation

NLRP3 tyrosine phosphorylation is controlled by protein tyrosine phosphatase PTPN22

Marianne R. Spalinger, ..., Gerhard Rogler, Michael Scharl

J Clin Invest. 2023;133(4):e169304. https://doi.org/10.1172/JCI169304.

Corrigendum

Original citation: J Clin Invest. 2016;126(5):1783–1800. https://doi.org/10.1172/JCI83669 Citation for this corrigendum: J Clin Invest. 2023;133(4):e169304. https://doi.org/10.1172/JCI169304 The authors recently became aware of errors in Figure 8, A and B. In Figure 8A, the WT/H2O and WT/DSS pictures were inadvertently switched. In Figure 8B, the incorrect image was shown for the Ptpn22–/–/DSS sample. The correct figure is shown below. The authors regret the errors.

Find the latest version:



Corrigendum

NLRP3 tyrosine phosphorylation is controlled by protein tyrosine phosphatase PTPN22

Marianne R. Spalinger, Stephanie Kasper, Claudia Gottier, Silvia Lang, Kirstin Atrott, Stephan R. Vavricka, Sylvie Scharl, Petrus M. Gutte, Markus G. Grütter, Hans-Dietmar Beer, Emmanuel Contassot, Andrew C. Chan, Xuezhi Dai, David J. Rawlings, Florian Mair, Burkhard Becher, Werner Falk, Michael Fried, Gerhard Rogler, and Michael Scharl

Original citation: *J Clin Invest*. 2016;126(5):1783–1800. https://doi.org/10.1172/JCI83669.

Citation for this corrigendum: J Clin Invest. 2023;133(4):e169304. https://doi.org/10.1172/JCI169304.

The authors recently became aware of errors in Figure 8, A and B. In Figure 8A, the WT/ H_2O and WT/DSS pictures were inadvertently switched. In Figure 8B, the incorrect image was shown for the $Ptpn22^{-/-}$ /DSS sample. The correct figure is shown below.

The authors regret the errors.

